

Kit Components

Product code	Description
AS1620	Maxwell® RSC Cultured Cells DNA Kit

Components:

A671	MX16 Lysis Buffer
MC140	MagneSil® Resin B
A937	Alcohol Wash
MD142D	Elution Buffer

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

1 Identification**Product identifier****Trade name:** MX16 Lysis Buffer**Article number:** A671**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification**Classification of the substance or mixture**

GHS05 Corrosion

Skin Corrosion 1B

H314 Causes severe skin burns and eye damage.



GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Label elements**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS05 GHS07

Signal word Danger**Hazard-determining components of labeling:**

guanidinium thiocyanate

Octoxynol 9

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 1)

Hazard statements

Harmful if swallowed or if inhaled.
Causes severe skin burns and eye damage.

Precautionary statements

Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = *3

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Toxic

Highly Toxic

Corrosive

Environmental Hazard

Primary route(s) of entry:

Dermal

Inhalation

Oral

Target Organ(s):

May affect Nervous system (Neurotoxin)

May cause Kidney damage (Nephrotoxin)

Risk of damage to eyes

Affects Gastrointestinal System

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 2)

Dangerous components:

593-84-0	guanidinium thiocyanate	50-75%
9002-93-1	Octoxynol 9	1-5%

Additional information: For the wording of the listed risk phrases refer to section 15.

* 4 First-aid measures

Description of first aid measures
General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek medical treatment.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Call a doctor immediately.

After swallowing:

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

* 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

Protective equipment: Mouth respiratory protective device.

* 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep people at a distance and stay upwind.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 3)

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Keep away from water.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

* 7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: *The product is not flammable.*

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *Do not store below -20°C. Protected from light.*

Information about storage in one common storage facility: *Do not store together with acids.*

Further information about storage conditions: *Keep receptacle tightly sealed.*

Specific end use(s) *No further relevant information available.*

* 8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: *The lists that were valid during the creation were used as basis.*

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 4)

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Tightly sealed goggles

Use equipment for eye protection tested and approved under government NIOSH standards.

* 9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

pH-value at 20 °C (68 °F): 7.5

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.

Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.

Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with

Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 5)

Viscosity:**Dynamic:** Not determined.**Kinematic:** Not determined.**Solvent separation test****Organic solvents:** 1.1 %**Water:** 45.7 %**VOC content:** 0.00 %**Solids content:** 54.9 %**Other information** No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:**

Exposure to strong acid will result in the generation of toxic gases

Exposure to bleach may result in the generation of toxic gas

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects**Acute toxicity:****LD/LC50 values that are relevant for classification:****593-84-0 guanidinium thiocyanate**

Oral	LD50	475 mg/kg (Rat) By analogy to guanidine hydrochloride
Dermal	LD50	>2,000 mg/kg (Rabbit) By analogy to Guanidine hydrochloride.

Primary irritant effect:**on the skin:** Caustic effect on skin and mucous membranes.**on the eye:** Strong caustic effect.**Sensitization:** Sensitization possible through inhalation.**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations: OECD test guideline 471, Ames test.

Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 6)

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

* 12 Ecological information

Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

* 13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

* 14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

UN1760

UN proper shipping name

DOT

ADR

IMDG, IATA

Corrosive liquid, n.o.s.

1760 CORROSIVE LIQUID, N.O.S.

CORROSIVE LIQUID, N.O.S.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 7)

Transport hazard class(es)**DOT**

Class 8 Corrosive substances
Label 8

ADR

Class 8 (C9) Corrosive substances
Label 8

IMDG, IATA

Class 8 Corrosive substances
Label 8

Packing group

DOT, ADR, IMDG, IATA II

Environmental hazards:

Marine pollutant: No

Special precautions for user Warning: Corrosive substances

Hazard identification number (Kemler code): 80

EMS Number: F-A,S-B

Stowage Category B

Stowage Code SW2 Clear of living quarters.

**Transport in bulk according to Annex II of
 MARPOL 73/78 and the IBC Code**

Not applicable.

Transport/Additional information:**ADR**

Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

IMDG

Limited quantities (LQ) IL
Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 8)

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. 8, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

593-84-0 guanidinium thiocyanate

9002-93-1 Octoxynol 9

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65
Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

1310-58-3 potassium hydroxide

Pennsylvania Right-to-Know List:

1310-58-3 potassium hydroxide

Carcinogenicity categories
EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Signal word Danger

Hazard-determining components of labeling:

guanidinium thiocyanate

Octoxynol 9

Hazard statements

Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: MX16 Lysis Buffer

(Contd. of page 9)

Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: *Water hazard class 1 (Self-assessment): slightly hazardous for water.*

Chemical safety assessment: *A Chemical Safety Assessment has not been carried out.*

16 Other information

**This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

Contact:

Date of preparation / last revision *10/11/2022*

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

1 Identification

Product identifier

Trade name: MagneSil® Resin B

Article number: MCI40

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labeling:

guanidinium chloride

Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 1)

Precautionary statements*Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Wear protective gloves / eye protection / face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If on skin: Wash with plenty of water.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Rinse mouth.**Take off contaminated clothing and wash it before reuse.**If skin irritation occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant**Primary route(s) of entry:**

Dermal

Oral

Target Organ(s):

May affect Nervous system (Neurotoxin)

May affect Bones

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

50-01-1 guanidinium chloride

59.286%

Additional information: For the wording of the listed risk phrases refer to section 15.

* 4 First-aid measures

Description of first aid measures**General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 2)

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:**Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: The product is not flammable.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 3)

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

* 8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands: Not required.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

* 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 4)

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 100 °C (212 °F)
Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.
Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:
Lower: Not determined.
Upper: Not determined.
Vapor pressure: Not determined.

Density at 20 °C (68 °F): 1.1013 g/cm³ (9.19035 lbs/gal)

Relative density: Not determined.

Vapor density: Not determined.

Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Solvent separation test

Water: 36.7 %

VOC content: 0.00 %

Solids content: 29.6 %

Other information: No further relevant information available.

10 Stability and reactivity

Reactivity: No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: Reacts with strong acids and oxidizing agents.

Conditions to avoid: No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects**Acute toxicity:**

LD/LC50 values that are relevant for classification:

50-01-1 guanidinium chloride

Oral	LD50	475 mg/kg (Rat)
------	------	-----------------

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: **MagneSil® Resin B**

(Contd. of page 5)

Irritation of eyes	acute	500 mg (Rabbit)
		Severe Irritation

Primary irritant effect:**on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:**

In case of skin contact: not sensitising

In case of inhalation: not sensitising

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

OECD test guideline 471, Ames test.

Harmful

Irritant

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

7631-86-9	silicon dioxide	3
1309-37-1	iron trioxide	3

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

* **12 Ecological information****Toxicity****Aquatic toxicity:** Not harmful to the aquatic environment**Persistence and degradability**

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.**Ecotoxicological effects:****Remark:** Not available**Additional ecological information:****General notes:** No data available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.* **13 Disposal considerations****Waste treatment methods****Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 6)

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number <i>DOT, ADR, ADN, IMDG, IATA</i>	Not hazardous for transportation Not applicable
UN proper shipping name <i>DOT, ADR, ADN, IMDG, IATA</i>	None Not applicable
Transport hazard class(es) <i>DOT, ADR, ADN, IMDG, IATA</i> Class	None Not applicable
Packing group <i>DOT, ADR, IMDG, IATA</i>	None Not applicable
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

50-01-1 guanidinium chloride

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 7)

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

1309-37-1 iron trioxide

Pennsylvania Right-to-Know List:

7631-86-9 silicon dioxide

1309-37-1 iron trioxide

Carcinogenicity categories
EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

1309-37-1 iron trioxide

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

Hazard-determining components of labeling:

guanidinium chloride

Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/07/2022

Trade name: MagneSil® Resin B

(Contd. of page 8)

chemicalregulatory@promega.com

Contact:

Date of preparation / last revision 10/11/2022

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

1 Identification**Product identifier****Trade name:** Alcohol Wash**Article number:** A937**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification**Classification of the substance or mixture**

GHS02 Flame

Flammable Liquids 3

H226 Flammable liquid and vapor.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

Label elements**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02 GHS07

Signal word Warning**Hazard-determining components of labeling:**

2-Propanol

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 1)

Hazard statements

Flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO₂, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:**NFPA ratings (scale 0 - 4)**

Health = 2
Fire = 3
Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 2
Fire = 3
Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant**Primary route(s) of entry:**

Dermal
Inhalation

Target Organ(s):

May cause Liver damage (Hepatotoxin)
May affect Nervous system (Neurotoxin)
May cause Kidney damage (Nephrotoxin)

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.
vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 2)

Dangerous components:

64-17-5	ethanol	20-25%
67-63-0	2-Propanol	20-25%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 3)

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

* 7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

* 8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1000 ppm

A3

67-63-0 2-Propanol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 400 ppm

Long-term value: 200 ppm

BEI, A4

Ingredients with biological limit values:

67-63-0 2-Propanol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 4)

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands: Not required.**Material of gloves**

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

* 9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.

pH-value at 20 °C (68 °F): 7**Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	24.6 °C (76.3 °F) (EPA 1010)

Flammability (solid, gaseous): Flammable.**Ignition temperature:** 425 °C (797 °F)**Decomposition temperature:** Not determined.**Auto igniting:** Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.
Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 5)

Explosion limits:

Lower: 2 Vol %
Upper: 15 Vol %
Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg)

Density at 20 °C (68 °F): 0.89928 g/cm³ (7.50449 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Solvent separation test

Organic solvents: 50.0 %

Water: 49.4 %

VOC content: 50.00 %

Solids content: 0.6 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects**Acute toxicity:****LD/LC50 values that are relevant for classification:****67-63-0 2-Propanol**

Oral	LD50	4,570 mg/kg (Rat)
Dermal	LD50	13,400 mg/kg (Rat)
Inhalative	LC50/4 h	30 mg/l (Rat)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Irritating effect.

Sensitization:

In case of skin contact: not sensitising

In case of inhalation: not sensitising

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 6)

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
OECD test guideline 471, Ames test.

Irritant

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

64-17-5	ethanol	1
67-63-0	2-Propanol	3

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity**Aquatic toxicity:** Not harmful to the aquatic environment**Persistence and degradability**

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.**Ecotoxicological effects:****Remark:** Not available**Additional ecological information:****General notes:** No data available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

13 Disposal considerations

Waste treatment methods**Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 7)

14 Transport information

UN-Number	UN1987
DOT, ADR, IMDG, IATA	
UN proper shipping name	Alcohols, n.o.s. (Isopropanol, Ethanol)
DOT	1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
ADR	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IMDG	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IATA	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL)
Transport hazard class(es)	
DOT	
	
Class	3 Flammable liquids
Label	3
ADR	
	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
	
Class	3 Flammable liquids
Label	3
Packing group	III
DOT, ADR, IMDG, IATA	
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	30
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 8)

Transport/Additional information:**ADR****Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

IMDG**Limited quantities (LQ)****Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1987 ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL)), 3, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 | 2-Propanol

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 | ethanol

New Jersey Right-to-Know List:

64-17-5 | ethanol

67-63-0 | 2-Propanol

Pennsylvania Right-to-Know List:

64-17-5 | ethanol

67-63-0 | 2-Propanol

Carcinogenicity categories**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 9)

TLV (Threshold Limit Value)

64-17-5	ethanol	A3
67-63-0	2-Propanol	A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

Hazard-determining components of labeling:

2-Propanol

Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

Contact:

Date of preparation / last revision 10/11/2022

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 10/11/2022

Trade name: Alcohol Wash

(Contd. of page 10)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

1 Identification**Product identifier****Trade name:** Elution Buffer**Article number:** MD142D**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: chemicalregulatory@promega.com**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification**Classification of the substance or mixture**

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements**GHS label elements** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 0

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable**Target Organ(s):** Not applicable or unknown**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

Trade name: *Elution Buffer*

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: *Mixtures*

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components: *Not applicable*

Additional information: *For the wording of the listed risk phrases refer to section 15.*

* 4 First-aid measures

Description of first aid measures

General information: *No special measures required.*

After inhalation: *If the patient feels unwell or is concerned, obtain medical advice.*

After skin contact: *Generally the product does not irritate the skin.*

After eye contact: *Rinse opened eye for several minutes under running water.*

After swallowing: *If the patient feels unwell or is concerned, obtain medical advice.*

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

* 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters *No special advice*

Protective equipment: *No special measures required.*

* 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures *Not required.*

Environmental precautions: *Dilute with plenty of water.*

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

Trade name: Elution Buffer

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling No special measures required.

Information about protection against explosions and fires: The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Do not store below -20°C. Protected from light.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Select the glove material considering penetration time, rate of diffusion and degradation time.

Material of gloves

Gloves impermeable to the specific chemical substance.

Please observe the instructions regarding permeability and breakthrough time which are provided by the manufacturer/supplier of the gloves. Ensure gloves are suitable for the task which includes, but is not limited to, chemical compatibility, dexterity, operational conditions, user susceptibility, e.g., sensitization effects. Consider specific local conditions under which the product is used such as the danger of cuts and abrasion. Remove gloves with care to avoid skin contamination.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Not required.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

pH-value at 20 °C (68 °F):	8.5
-----------------------------------	-----

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

Trade name: *Elution Buffer*

(Contd. of page 3)

Change in condition

Melting point/Melting range: 0 °C (32 °F)
Boiling point/Boiling range: 100 °C (212 °F)
Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.
Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:
Lower: Not determined.
Upper: Not determined.
Vapor pressure: Not determined.

Density at 20 °C (68 °F): 0.99929 g/cm³ (8.33908 lbs/gal)

Relative density: Not determined.

Vapor density: Not determined.

Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic at 20 °C (68 °F): 0.0952 mPas

Kinematic: Not determined.

Solvent separation test

Water: 99.8 %

VOC content: 0.00 %

Solids content: 0.2 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects**Acute toxicity:**

LD/LC50 values that are relevant for classification: No data available

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

Trade name: Elution Buffer

(Contd. of page 4)

Sensitization:*In case of skin contact: not sensitising**In case of inhalation: not sensitising***Additional toxicological information:***The product is not subject to classification according to internally approved calculation methods for preparations:***Carcinogenic categories****IARC (International Agency for Research on Cancer)***None of the ingredients are listed.***NTP (National Toxicology Program)***None of the ingredients are listed.***OSHA-Ca (Occupational Safety & Health Administration)***None of the ingredients are listed.*

* 12 Ecological information

Toxicity*Aquatic toxicity: Not harmful to the aquatic environment***Persistence and degradability***Not available**No further relevant information available.***Bioaccumulative potential***Not known**No further relevant information available.**Mobility in soil No further relevant information available.***Ecotoxicological effects:***Remark: Not available***Additional ecological information:****General notes:***Not available.**Not known to be hazardous to water.***Results of PBT and vPvB assessment***PBT: Not applicable.**vPvB: Not applicable.**Other adverse effects No further relevant information available.*

* 13 Disposal considerations

Waste treatment methods**Recommendation:***Disposal should be in accordance with applicable regional, national and local laws and regulations.**Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.***Uncleaned packagings:***Recommendation: Disposal must be made according to official regulations.**Recommended cleansing agent: Water, if necessary with cleansing agents.*

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

Trade name: *Elution Buffer*

(Contd. of page 5)

14 Transport information

UN-Number DOT, ADR, ADN, IMDG, IATA	<i>Not hazardous for transportation</i> <i>Not applicable</i>
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	<i>None</i> <i>Not applicable</i>
Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class	<i>None</i> <i>Not applicable</i>
Packing group DOT, ADR, IMDG, IATA	<i>None</i> <i>Not applicable</i>
Environmental hazards: Marine pollutant:	<i>No</i>
Special precautions for user	<i>Not applicable.</i>
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	<i>Not applicable.</i>
UN "Model Regulation":	<i>Not applicable</i>

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara	
Section 355 (extremely hazardous substances):	<i>None of the ingredients are listed.</i>
Section 313 (Specific toxic chemical listings):	<i>None of the ingredients are listed.</i>
TSCA (Toxic Substances Control Act) Inventory:	<i>All ingredients are listed.</i>
Hazardous Air Pollutants	<i>None of the ingredients are listed.</i>
Proposition 65	
Chemicals known to cause cancer:	<i>None of the ingredients are listed.</i>
Chemicals known to cause reproductive toxicity for females:	<i>None of the ingredients are listed.</i>
Chemicals known to cause reproductive toxicity for males:	<i>None of the ingredients are listed.</i>
Chemicals known to cause developmental toxicity:	<i>None of the ingredients are listed.</i>
New Jersey Right-to-Know List:	<i>None of the ingredients are listed.</i>
Pennsylvania Right-to-Know List:	<i>None of the ingredients are listed.</i>

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/11/2022

Reviewed on 07/11/2022

Trade name: Elution Buffer

(Contd. of page 6)

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable

Signal word Not applicable

Hazard statements Not applicable

Chemical safety assessment

Water hazard class: Generally not hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

chemicalregulatory@promega.com

Contact:

Date of preparation / last revision 10/11/2022

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit